

COAL INDIA LIMITED**MARKETING & SALES**

Coal Bhawan, Premises No. 4 MAR, Plot no. AF-III,
Action Area 1A, New Town, Rajarhat, Kolkata - 700 156
E-mail: hodfsa.cil@coalindia.in
Phone: 033 - 2324 6617



File: CIL/M&S/Linkage Rationalization/293

Date: 20.12.2023

NOTICE**Sub: Approved Final Rationalized Matrix- Linkage Rationalization (3rd Round)**

In terms of approved SoP uploaded in CIL's website on 14.06.2023 and methodology for Linkage rationalization dated 15.05.2018, a notice seeking Eol from desirous consumers was hosted on CIL's website on 17.08.2023.

In response to the said notice, vide letter dated 14.09.2023, M/s TSPL submitted Eol for rationalization of linkage of 6.72 MT from MCL to SECL.

In line with the Methodology of Linkage Rationalization dated 15.5.2018, Eol submitted by TSPL along with other details were sent to CEA for calculation of savings. The savings & the rationalized quantity were received from CEA vide mail dated 27.10.2023.

The matter was subsequently deliberated in the meeting of Action Group comprising of CIL, CEA and Railways on 31.10.2023. Based on the recommendations, proposed matrix was issued on 13.11.2023 with a copy to TSPL, requesting TSPL for comments within 15 days.

The comments received from PSPCL and TSPL vide letters dated 23.11.2023 & 27.11.2023 respectively were examined and the following final approved rationalized matrix was issued to TSPL vide email dated 29.11.2023:

Sl. No.	Name of the Plant	SHR (In kcal/kwH)	Earlier Linkage Details		Post Rationalization		Savings in Transportation Cost (In Rs/kwH)
			Coal Company	ACQ (In Tonne)	Coal Company	ACQ (In Tonne)	
1	TSPL	2400	MCL	67,20,000	SECL	54,43,826	0.60

Accordingly, as per Standard Operating Procedure (SoP) amendments in the FSA due to linkage transfer, including submission of Supplementary/ amended PPA duly approved by the Appropriate Regulatory Commission are required to be completed, within 7 Months i.e. by 28.06.2024.

This issues in terms of the directions of the competent authority.

Chief Manager (M&S-FSA/Linkage)