

COAL INDIA LIMITED

MARKETING & SALES DIVISION

COAL STOCK POSITION OF POWER PLANTS HAVING COAL LINKAGE WITH COAL INDIA LIMITED & SCCL AS PER CEA REPORT

Region/State	Mode of Transport	Name of Thermal Power Station	Requirement for the day (In '000 Tonnes')	Actual Stock			In Days	Status of Criticality as per "New methodology for monitoring of coal stock at coal based thermal power plants" dated 08.11.2017 Critical(*)/Supercritical(**)	Reasons for not considering the plant under critical/super critical category inspite of plant carrying low stock
				In '000 Tonnes'					
				Indigenous	Import	Total			
Haryana									
1	RAIL	INDIRA GANDHI STPP	14.88	218.18	0	218.18	15		
2	RAIL	MAHATMA GANDHI TPS	13.41	69.41	0	69.41	5		
3	RAIL	PANIPAT TPS	7.45	86.53	0	86.53	12		
4	RAIL	RAJIV GANDHI TPS	11.2	362.27	0	362.27	32		
5	RAIL	YAMUNA NAGAR TPS	5.2	175.06	0	175.06	34		
Punjab									
6	RAIL-1500	GH TPS (LEH.MOH.)	8.59	225.5	0	225.5	26		
7	RAIL-1500	GOINDWAL SAHIB TPP	4.85	18.2	0	18.2	4		Materialization against the ACQ is more than trigger level
8	RAIL	RAJPURA TPP	9.15	193.36	0	193.36	21		
9	RAIL	ROPAR TPS	7.76	141.3	0	141.3	18		
10	RAIL-1500	TALWANDI SABO TPP	19.12	10.59	0	10.59	1		Materialization against the ACQ is more than trigger level
Rajasthan									
11	RAIL	CHHABRA-I PH-1 TPP	5.06	13.97	0	13.97	3		Materialization against the ACQ is more than trigger level
12	RAIL	KAWAI TPS	16.22	86.63	0	86.63	5		Materialization against the ACQ is more than trigger level
13	RAIL	KOTA TPS	19.83	96.17	0	96.17	5		Materialization against the ACQ is more than trigger level
14	RAIL-1500	SURATGARH TPS	13.21	32.22	0	32.22	2		Materialization against the ACQ is more than trigger level
Uttar Pradesh									
15	PITHEAD	ANPARA C TPS	9.2	99.18	0	99.18	11		
16	PITHEAD	ANPARA TPS	28.68	464.46	0	464.46	16		
17	RAIL	BARKHERA TPS	0.77	4.03	0	4.03	5		Materialization against the ACQ is more than trigger level
18	RAIL	DADRI (NCTPP)	16.19	437.86	19.07	456.93	28		
19	RAIL	HARDUAGANJ TPS	5.17	172.01	0	172.01	33		
20	RAIL	KHAMBARKHERA TPS	0.77	4.17	0	4.17	5		Materialization against the ACQ is more than trigger level
21	RAIL	KUNDARKI TPS	0.88	10.13	0	10.13	12		
22	RAIL	LALITPUR TPS	15.52	299.84	0	299.84	19		
23	RAIL	MAQSOODPUR TPS	0.77	9.9	0	9.9	13		
24	RAIL	MEJA STPP	16.35	289.63	0	289.63	18		
25	RAIL	OBRA TPS	10.69	115.38	0	115.38	11		
26	RAIL	PARICHHA TPS	10.4	277.87	0	277.87	27		
27	RAIL	PRAYAGRAJ TPP	20.68	36.76	0	36.76	2		Materialization against the ACQ is more than trigger level
28	PITHEAD	RIHAND STPS	35.89	351.78	0	351.78	10		
29	RAIL	ROSA TPP Ph-I	9.49	234.9	0	234.9	25		
30	PITHEAD	SINGRAULI STPS	25.9	363.23	0	363.23	14		
31	RAIL	TANDA TPS	24.72	374.85	6.56	381.41	15		
32	RAIL	UNCHAHAR TPS	13.67	210.72	0	210.72	15		
33	RAIL	UTRAULA TPS	0.96	6.26	0	6.26	7		
Total of Northern Region			402.63	5492.35	25.63	5517.98	14	0	
Western Chhatisgarh									
34	RAIL	AKALTARA TPS	21.2	67.16	0	67.16	3		Materialization against the ACQ is more than trigger level
35	RAIL	BALCO TPS	7.51	17.8	0	17.8	2		Materialization against the ACQ is more than trigger level
36	ROAD	BANDAKHAR TPP	3.86	31.35	0	31.35	8		
37	RAIL	BARADARHA TPS	20.72	171.99	0	171.99	8		
38	RAIL	BHILAI TPS	4.33	94.01	0	94.01	22		
39	RAIL	BINJKOTE TPP	6.15	4.05	0	4.05	1		Materialization against the ACQ is more than trigger level

COAL INDIA LIMITED

MARKETING & SALES DIVISION

COAL STOCK POSITION OF POWER PLANTS HAVING COAL LINKAGE WITH COAL INDIA LIMITED & SCCL AS PER CEA REPORT

Region/State	Mode of Transport	Name of Thermal Power Station	Requirement for the day (In '000 Tonnes')	Actual Stock			In Days	Status of Criticality as per "New methodology for monitoring of coal stock at coal based thermal power plants" dated 08.11.2017 Critical(*)/Supercritical(**)	Reasons for not considering the plant under critical/super critical category inspite of plant carrying low stock
				In '000 Tonnes'					
				Indigenous	Import	Total			
40	RAIL	DSPM TPS	8.35	107.77	0	107.77	13		
41	PITHEAD	KORBA STPS	35.22	256.51	0	256.51	7		
42	PITHEAD	KORBA-WEST TPS	20.95	137.08	0	137.08	7		
43	RAIL	LARA TPP	25.07	410.83	0	410.83	16		
44	ROAD	NAWAPARA TPP	6.15	23.24	0	23.24	4		Materialization against the ACQ is more than trigger level
45	RAIL	PATHADI TPP	7.83	97.45	0	97.45	12		
46	PITHEAD	SIPAT STPS	36.04	469.67	0	469.67	13		
47	ROAD	TAMNAR TPP	25.29	329.29	0	329.29	13		
48	RAIL	UCHPINDA TPP	14.73	87.58	0	87.58	6		Materialization against the ACQ is more than trigger level
Gujarat									
49	RAIL-1500	GANDHI NAGAR TPS	5.8	68.64	0	68.64	12		
50	RAIL	SABARMATI (D-F STATIONS)	4.11	58.58	88.33	146.91	20		
51	RAIL	UKAI TPS	11.83	60.34	0	60.34	5		Materialization against the ACQ is more than trigger level
52	RAIL-1500	WANAKBORI TPS	20.17	188.52	0	188.52	9		
Madhya Pradesh									
53	PITHEAD	AMARKANTAK EXT TPS	3.3	43.14	0	43.14	13		
54	RAIL	ANUPPUR TPP	15.71	149	0	149	9		
55	RAIL	BINA TPS	6.62	17.63	0	17.63	3		Materialization against the ACQ is more than trigger level
56	RAIL	GADARWARA TPP	10.88	266.64	66.13	332.77	31		
57	RAIL	KHARGONE STPP	13.71	121.87	0	121.87	9		
58	RAIL	SANJAY GANDHI TPS	16.71	210.34	0	210.34	13		
59	RAIL	SATPURA TPS	12.71	61.99	0	61.99	5		Non Payment of Dues
60	RAIL	SEIONI TPP	7.51	76.32	0	76.32	10		
61	RAIL	SHREE SINGAJI TPP	23.45	194.53	0	194.53	8		
62	PITHEAD	VINDHYACHAL STPS	65.28	771.6	0	771.6	12		
Maharashtra									
63	RAIL	AMRAVATI TPS	16.96	98.12	0	98.12	6		Materialization against the ACQ is more than trigger level
64	RAIL	BHUSAWAL TPS	13.44	159.31	0	159.31	12		
65	RAIL	BUTIBORI TPP	5.15	59.73	0	59.73	12		
66	RAIL	CHANDRAPUR(MAHARASHTRA) STPS	32.64	90.17	0	90.17	3		Non payment of dues
67	RAIL	DAHANU TPS	5.66	4.63	0	4.63	1		Materialization against the ACQ is more than trigger level
68	RAIL	DHARIWAL TPP	8.26	23.34	0	23.34	3		Materialization against the ACQ is more than trigger level
69	RAIL	GMR WARORA TPS	7.34	0.7	0	0.7	0		Materialization against the ACQ is more than trigger level
70	RAIL	KHAPARKHEDA TPS	17.61	135.87	0	135.87	8		
71	RAIL	KORADI TPS	25.33	164.25	0	164.25	6		Non payment of dues
72	RAIL	MAUDA TPS	20.33	570.54	19.18	589.72	29		
73	RAIL	NASIK TPS	6.75	29.17	0	29.17	4		Non payment of dues
74	RAIL	PARAS TPS	6.49	18.61	0	18.61	3		Non payment of dues
75	RAIL	PARLI TPS	7.67	70.13	0	70.13	9		
76	RAIL-1500	SOLAPUR STPS	15.89	104.12	15.8	119.92	8		Materialization against the ACQ is more than trigger level
77	RAIL	TIRORA TPS	33.29	201.64	0	201.64	6		Materialization against the ACQ is more than trigger level
78	ROAD	WARDHA WARORA TPP	4.91	75.98	0	75.98	15		
Total of Western Region			688.91	6401.23	189.44	6590.67	10	0	
Southern									
Andhra Pradesh									
79	RAIL-SEA	DAMODARAM SANJEEVAIAH TPS	13.6	5.72	0	5.72	0		Materialization against the ACQ is more than trigger level
80	RAIL	Dr. N.TATA RAO TPS	22.69	93.62	0	93.62	4		Materialization against the ACQ is more than trigger level

COAL INDIA LIMITED

MARKETING & SALES DIVISION

COAL STOCK POSITION OF POWER PLANTS HAVING COAL LINKAGE WITH COAL INDIA LIMITED & SCCL AS PER CEA REPORT

Region/State	Mode of Transport	Name of Thermal Power Station	Requirement for the day (In '000 Tonnes')	Actual Stock			In Days	Status of Criticality as per "New methodology for monitoring of coal stock at coal based thermal power plants" dated 08.11.2017 Critical(*)/Supercritical(**)	Reasons for not considering the plant under critical/super critical category inspite of plant carrying low stock
				Indigenous	Import	Total			
81	RAIL-SEA	PAINAMPURAM TPP	10.61	111.35	19.7	131.05	12		
82	RAIL	RAYALASEEMA TPS	16.77	48.06	0	48.06	3		Materialization against the ACQ is more than trigger level
83	RAIL	SIMHADRI	26.26	334.17	0	334.17	13		
84	RAIL-SEA	SGPL TPP	8.71	0.25	124.35	124.6	14		
85	RAIL	VIZAG TPP	10.45	152.27	0	152.27	15		
Karnataka									
86	RAIL	BELLARY TPS	15.48	57.3	0	57.3	4		Materialization against the ACQ is more than trigger level
87	RAIL	KUDGI STPP	17.11	272.12	31.33	303.45	18		
88	RAIL	RAICHUR TPS	16.28	198.85	0	198.85	12		
89	RAIL	YERMARUS TPP	13.73	72.13	0	72.13	5		Materialization against the ACQ is more than trigger level
Tamil Nadu									
90	RAIL-SEA-1500	METTUR TPS	7.98	10.98	0	10.98	1		Materialization against the ACQ is more than trigger level
91	RAIL-SEA-1500	METTUR TPS - II	7.17	9.93	0	9.93	1		Materialization against the ACQ is more than trigger level
92	RAIL-SEA	NORTH CHENNAI TPS	22.34	107.12	0	107.12	5		Materialization against the ACQ is more than trigger level
93	RAIL-SEA-1500	TUTICORIN TPS	15.75	304.14	0	304.14	19		
94	RAIL-SEA	VALLUR TPP	19.69	44.27	0	44.27	2		Materialization against the ACQ is more than trigger level
Telangana									
95	RAIL	BHADRADRI TPP	8.65	79.59	0	79.59	9		
96	PITHEAD	KAKATIYA TPS	9.52	308.26	0	308.26	32		
97	RAIL	KOTHAGUDEM TPS (NEW)	11.49	131.09	0	131.09	11		
98	RAIL	KOTHAGUDEM TPS (STAGE-7)	6.96	124.62	0	124.62	18		
99	PITHEAD	RAMAGUNDEM STPS	21.99	249.17	0	249.17	11		
100	PITHEAD	RAMAGUNDEM-B TPS	0.82	6.36	0	6.36	8		
101	RAIL	SINGARENI TPP	13.6	128.57	0	128.57	9		
Total of Southern Region			317.65	2849.94	175.38	3025.32	10	0	
Eastern									
Bihar									
102	RAIL	BARAUNI TPS	6.09	73.98	0	73.98	12		
103	RAIL	BARH I & II	12.88	441.81	0	441.81	34		
104	PITHEAD	KAHALGAON TPS	28.68	111.12	0	111.12	4		Materialization against the ACQ is more than trigger level
105	RAIL	MUZAFFARPUR TPS	5.76	89.09	0	89.09	15		
106	RAIL	NABINAGAR STPP	17.15	215.35	0	215.35	13		
107	RAIL	NABINAGAR TPP	12.76	43.76	0	43.76	3		Materialization against the ACQ is more than trigger level
Jharkhand									
108	RAIL	BOKARO TPS 'A' EXP	3.84	94.81	0	94.81	25		
109	RAIL	CHANDRAPURA(DVC) TPS	6.91	129.9	0	129.9	19		
110	RAIL	JOJOBERA TPS	2.06	45.64	0	45.64	22		
111	RAIL	KODARMA TPP	12.94	67.79	0	67.79	5		Materialization against the ACQ is more than trigger level
112	RAIL	MAHADEV PRASAD STPP	7.53	5.37	0	5.37	1		Materialization against the ACQ is more than trigger level
113	RAIL	MAITHON RB TPP	11.81	183.2	0	183.2	16		
114	RAIL	TENUGHAT TPS	3.94	22.08	0	22.08	6		Materialization against the ACQ is more than trigger level
Odisha									
115	PITHEAD	DARLIPALI STPS	14.78	394.19	0	394.19	27		
116	ROAD	DERANG TPP	17.36	472.29	0	472.29	27		
117	PITHEAD	IB VALLEY TPS	24.38	314.14	0	314.14	13		
118	RAIL	KAMALANGA TPS	10.27	98.89	0	98.89	10		

COAL INDIA LIMITED									
MARKETING & SALES DIVISION									
COAL STOCK POSITION OF POWER PLANTS HAVING COAL LINKAGE WITH COAL INDIA LIMITED & SCCL AS PER CEA REPORT									
Region/State	Mode of Transport	Name of Thermal Power Station	Requirement for the day (In '000 Tonnes')	Actual Stock			In Days	Status of Criticality as per "New methodology for monitoring of coal stock at coal based thermal power plants" dated 08.11.2017 Critical(*)/Supercritical(**)	Reasons for not considering the plant under critical/super critical category inspite of plant carrying low stock
				In '000 Tonnes'					
				Indigenous	Import	Total			
119	RAIL	VEDANTA TPP	6.58	35.83	0	35.83	5		Materialization against the ACQ is more than trigger level
120	PITHEAD	TALCHER STPS	36.24	430.76	0	430.76	12		
West Bengal									
121	RAIL	BAKRESWAR TPS	12.34	85.53	0	85.53	7		
122	RAIL	BANDEL TPS	5.18	14.46	0	14.46	3		Materialization against the ACQ is more than trigger level
123	RAIL	BUDGE BUDGE TPS	5.72	93.22	0	93.22	16		
124	RAIL	D.P.L. TPS	6.2	4.61	0	4.61	1		Materialization against the ACQ is more than trigger level
125	RAIL	DURGAPUR STEEL TPS	12.24	83.79	0	83.79	7		
126	RAIL	DURGAPUR TPS	2.31	58.23	0	58.23	25		
127	PITHEAD	FARAKKA STPS	24.85	58.6	0	58.6	2		Materialization against the ACQ is more than trigger level
128	RAIL	HALDIA TPP	7.63	33.55	0	33.55	4		Materialization against the ACQ is more than trigger level
129	RAIL	HIRANMAYE TPP	4.16	71.39	0	71.39	17		
130	RAIL	KOLAGHAT TPS	14.79	11.2	0	11.2	1		Materialization against the ACQ is more than trigger level
131	RAIL	MEJIA TPS	27.63	153.33	0	153.33	6		Materialization against the ACQ is more than trigger level
132	RAIL	RAGHUNATHPUR TPP	11.79	71.25	0	71.25	6		Materialization against the ACQ is more than trigger level
133	RAIL	SAGARDIGHI TPS	21.92	100.46	0	100.46	5		Materialization against the ACQ is more than trigger level
134	RAIL	SANTALDIH TPS	8.23	30.77	0	30.77	4		Materialization against the ACQ is more than trigger level
135	RAIL	SOUTHERN REPL. TPS	1.23	11.21	0	11.21	9		
Total of Eastern Region			408.18	4151.6	0	4151.6	10	0	
North Eastern									
Assam									
136	RAIL	BONGAIGAON TPP	6.67	92.1	0	92.1	14		
Total of North Eastern Region			6.67	92.1	0	92.1	14	0	
Total Coal stock			1824.04	18987.22	390.45	19378	11	0	

Note

1. https://cea.nic.in/wp-content/uploads/2020/04/guidelines_dcr.pdf

2. % Materialization against ACQ is taken from 01.04.21 to 07.12.2021



Link for New Methodology dated 08.11.2017

COAL INDIA LIMITED

MARKETING & SALES DIVISION

COAL STOCK POSITION OF POWER PLANTS HAVING COAL LINKAGE WITH COAL INDIA LIMITED & SCCL AS PER CEA REPORT

Region/State	Mode of Transport	Name of Thermal Power Station	Requirement for the day (In '000 Tonnes')	Actual Stock			In Days	Status of Criticality as per "New methodology for monitoring of coal stock at coal based thermal power plants" dated 08.11.2017 Critical(*)/Supercritical(**)	Reasons for not considering the plant under critical/super critical category inspite of plant carrying low stock
				Indigenous	Import	Total			
Haryana									
1	RAIL	INDIRA GANDHI STPP	14.59	218.15	0	218.15	15		
2	RAIL	MAHATMA GANDHI TPS	12.56	77.06	0	77.06	6		Materialization against the ACQ is more than trigger level
3	RAIL	PANIPAT TPS	7.41	89.66	0	89.66	12		
4	RAIL	RAJIV GANDHI TPS	11.2	366.88	0	366.88	33		
5	RAIL	YAMUNA NAGAR TPS	5.2	188.13	0	188.13	36		
Punjab									
6	RAIL-1500	GH TPS (LEH.MOH.)	8.59	225.5	0	225.5	26		
7	RAIL-1500	GOINDWAL SAHIB TPP	4.85	17.81	0	17.81	4		Materialization against the ACQ is more than trigger level
8	RAIL	RAJPURA TPP	9.15	204.67	0	204.67	22		
9	RAIL	ROPAR TPS	7.76	145.29	0	145.29	19		
10	RAIL-1500	TALWANDI SABO TPP	17.28	11.49	0	11.49	1		Materialization against the ACQ is more than trigger level
Rajasthan									
11	RAIL	CHHABRA-I PH-1 TPP	5.36	7.93	0	7.93	1		Materialization against the ACQ is more than trigger level
12	RAIL	KAWAI TPS	16.22	82.66	0	82.66	5		Materialization against the ACQ is more than trigger level
13	RAIL	KOTA TPS	19.79	92.58	0	92.58	5		Materialization against the ACQ is more than trigger level
14	RAIL-1500	SURATGARH TPS	13.21	32.41	0	32.41	2		Materialization against the ACQ is more than trigger level
Uttar Pradesh									
15	PITHEAD	ANPARA C TPS	9.2	107.75	0	107.75	12		
16	PITHEAD	ANPARA TPS	30.8	464.16	0	464.16	15		
17	RAIL	BARKHERA TPS	0.77	4.03	0	4.03	5		Materialization against the ACQ is more than trigger level
18	RAIL	DADRI (NCTPP)	16.19	437.86	19.07	456.93	28		
19	RAIL	HARDUAGANJ TPS	5.17	173.33	0	173.33	34		
20	RAIL	KHAMBARKHERA TPS	0.77	4.17	0	4.17	5		Materialization against the ACQ is more than trigger level
21	RAIL	KUNDARKI TPS	0.88	10.13	0	10.13	12		
22	RAIL	LALITPUR TPS	15.52	306.33	0	306.33	20		
23	RAIL	MAQSODPUR TPS	0.77	9.9	0	9.9	13		
24	RAIL	MEJA STPP	15.68	304.34	0	304.34	19		
25	RAIL	OBRA TPS	10.69	117.47	0	117.47	11		
26	RAIL	PARICHHA TPS	10.4	281.64	0	281.64	27		
27	RAIL	PRAYAGRAJ TPP	21.2	39.3	0	39.3	2		Materialization against the ACQ is more than trigger level
28	PITHEAD	RIHAND STPS	34.23	361.8	0	361.8	11		
29	RAIL	ROSA TPP Ph-I	9.49	232.37	0	232.37	24		
30	PITHEAD	SINGRAULI STPS	26.97	363.62	0	363.62	13		
31	RAIL	TANDA TPS	24.4	378.68	5.75	384.43	16		
32	RAIL	UNCHAHR TPS	14.12	204.72	0	204.72	14		
33	RAIL	UTRAULA TPS	0.96	6.26	0	6.26	7		
Total of Northern Region			401.38	5568.08	24.82	5592.9	14	0	
Western									
Chhatisgarh									
34	RAIL	AKALTARA TPS	20.64	61.44	0	61.44	3		Materialization against the ACQ is more than trigger level
35	RAIL	BALCO TPS	7.99	21.17	0	21.17	3		Materialization against the ACQ is more than trigger level
36	ROAD	BANDAKHAR TPP	3.87	32.3	0	32.3	8		
37	RAIL	BARADARHA TPS	20.46	176.83	0	176.83	9		
38	RAIL	BHILAI TPS	4.24	97.55	0	97.55	23		

COAL INDIA LIMITED

MARKETING & SALES DIVISION

COAL STOCK POSITION OF POWER PLANTS HAVING COAL LINKAGE WITH COAL INDIA LIMITED & SCCL AS PER CEA REPORT

Region/State	Mode of Transport	Name of Thermal Power Station	Requirement for the day (In '000 Tonnes')	Actual Stock			In Days	Status of Criticality as per "New methodology for monitoring of coal stock at coal based thermal power plants" dated 08.11.2017 Critical(*)/Supercritical(**)	Reasons for not considering the plant under critical/super critical category inspite of plant carrying low stock
				In '000 Tonnes'					
				Indigenous	Import	Total			
39	RAIL	BINJKOTE TPP	6.15	5.98	0	5.98	1		Materialization against the ACQ is more than trigger level
40	RAIL	DSPM TPS	8.33	105.8	0	105.8	13		
41	PITHEAD	KORBA STPS	34.62	252.45	0	252.45	7		
42	PITHEAD	KORBA-WEST TPS	21.37	137.26	0	137.26	6		
43	RAIL	LARA TPP	25.04	409.85	0	409.85	16		
44	ROAD	NAWAPARA TPP	6.15	23.24	0	23.24	4		Materialization against the ACQ is more than trigger level
45	RAIL	PATHADI TPP	7.97	94.66	0	94.66	12		
46	PITHEAD	SIPAT STPS	32.48	468.83	0	468.83	14		
47	ROAD	TAMNAR TPP	25.7	331.16	0	331.16	13		
48	RAIL	UCHPINDA TPP	15.52	86.88	0	86.88	6		Materialization against the ACQ is more than trigger level
Gujarat									
49	RAIL-1500	GANDHI NAGAR TPS	5.81	62.66	0	62.66	11		
50	RAIL	SABARMATI (D-F STATIONS)	4	63.39	88.09	151.48	23		
51	RAIL	UKAI TPS	11.87	54.15	0	54.15	5		
52	RAIL-1500	WANAKBORI TPS	20.17	175.21	0	175.21	9		
Madhya Pradesh									
53	PITHEAD	AMARKANTAK EXT TPS	3.28	41.76	0	41.76	13		
54	RAIL	ANUPPUR TPP	15.86	152	0	152	10		
55	RAIL	BINA TPS	6.62	21.6	0	21.6	3		Materialization against the ACQ is more than trigger level
56	RAIL	GADARWARA TPP	10.88	273.69	64.95	338.64	31		
57	RAIL	KHARGONE STPP	13.88	113.98	0	113.98	8		
58	RAIL	SANJAY GANDHI TPS	17.03	202.12	0	202.12	12		
59	RAIL	SATPURA TPS	12.71	60.46	0	60.46	5		Non Payment of Dues
60	RAIL	SEIONI TPP	7.35	74.99	0	74.99	10		
61	RAIL	SHREE SINGAJI TPP	23.45	185.96	0	185.96	8		
62	PITHEAD	VINDHYACHAL STPS	64.08	780.86	0	780.86	12		
Maharashtra									
63	RAIL	AMRAVATI TPS	17.59	93.7	0	93.7	5		Materialization against the ACQ is more than trigger level
64	RAIL	BHUSAWAL TPS	13.64	161.68	0	161.68	12		
65	RAIL	BUTIBORI TPP	5.15	59.73	0	59.73	12		
66	RAIL	CHANDRAPUR(MAHARASHTRA) STPS	33.16	87.01	0	87.01	3		Non payment of dues
67	RAIL	DAHANU TPS	5.64	2.91	0	2.91	1		Materialization against the ACQ is more than trigger level
68	RAIL	DHARIWAL TPP	8.19	22.93	0	22.93	3		Materialization against the ACQ is more than trigger level
69	RAIL	GMR WARORA TPS	7.38	0.96	0	0.96	0		Materialization against the ACQ is more than trigger level
70	RAIL	KHAPARKHEDA TPS	15.97	133.46	0	133.46	8		
71	RAIL	KORADI TPS	26.68	172.01	0	172.01	6		Non payment of dues
72	RAIL	MAUDA TPS	20.33	571.6	20.81	592.41	29		
73	RAIL	NASIK TPS	6.75	29.77	0	29.77	4		Non payment of dues
74	RAIL	PARAS TPS	6.56	14.81	0	14.81	2		Non payment of dues
75	RAIL	PARLI TPS	7.67	66.92	0	66.92	9		
76	RAIL-1500	SOLAPUR STPS	15.65	87.93	11.8	99.73	6		Materialization against the ACQ is more than trigger level
77	RAIL	TIRORA TPS	33.29	200.42	0	200.42	6		Materialization against the ACQ is more than trigger level
78	ROAD	WARDHA WARORA TPP	4.96	74.04	0	74.04	15		
Total of Western Region			686.13	6348.11	185.65	6533.76	10	0	
Southern									
Andhra Pradesh									
79	RAIL-SEA	DAMODARAM SANJEEVAIAH TPS	13.6	14.43	0	14.43	1		Materialization against the ACQ is more than trigger level

COAL INDIA LIMITED

MARKETING & SALES DIVISION

COAL STOCK POSITION OF POWER PLANTS HAVING COAL LINKAGE WITH COAL INDIA LIMITED & SCCL AS PER CEA REPORT

Region/State	Mode of Transport	Name of Thermal Power Station	Requirement for the day (In '000 Tonnes')	Actual Stock			In Days	Status of Criticality as per "New methodology for monitoring of coal stock at coal based thermal power plants" dated 08.11.2017 Critical(*)/Supercritical(**)	Reasons for not considering the plant under critical/super critical category inspite of plant carrying low stock
				Indigenous	Import	Total			
80	RAIL	Dr. N.TATA RAO TPS	21.85	94.29	0	94.29	4		Materialization against the ACQ is more than trigger level
81	RAIL-SEA	PAINAMPURAM TPP	11.72	97.26	18.02	115.28	10		
82	RAIL	RAYALASEEMA TPS	16.77	54.8	0	54.8	3		Materialization against the ACQ is more than trigger level
83	RAIL	SIMHADRI	28.03	328.02	0	328.02	12		
84	RAIL-SEA	SGPL TPP	8.71	0.25	119.24	119.49	14		
85	RAIL	VIZAG TPP	10.45	152.27	0	152.27	15		
Karnataka									
86	RAIL	BELLARY TPS	15.48	52.44	0	52.44	3		Materialization against the ACQ is more than trigger level
87	RAIL	KUDGI STPP	17.11	272.59	31.33	303.92	18		
88	RAIL	RAICHUR TPS	16.28	194.15	0	194.15	12		
89	RAIL	YERMARUS TPP	13.73	66.99	0	66.99	5		Materialization against the ACQ is more than trigger level
Tamil Nadu									
90	RAIL-SEA-1500	METTUR TPS	7.98	12.53	0	12.53	2		Materialization against the ACQ is more than trigger level
91	RAIL-SEA-1500	METTUR TPS - II	6.96	12.67	0	12.67	2		Materialization against the ACQ is more than trigger level
92	RAIL-SEA	NORTH CHENNAI TPS	24.3	96.22	0	96.22	4		Materialization against the ACQ is more than trigger level
93	RAIL-SEA-1500	TUTICORIN TPS	15.4	289.07	0	289.07	19		
94	RAIL-SEA	VALLUR TPP	19.59	43.95	0	43.95	2		Materialization against the ACQ is more than trigger level
Telangana									
95	RAIL	BHADRADRI TPP	9.15	75.43	0	75.43	8		
96	PITHEAD	KAKATIYA TPS	10.42	302	0	302	29		
97	RAIL	KOTHAGUEDEM TPS (NEW)	10.76	130.03	0	130.03	12		
98	RAIL	KOTHAGUEDEM TPS (STAGE-7)	7.88	119.92	0	119.92	15		
99	PITHEAD	RAMAGUNDEM STPS	21.18	243.8	0	243.8	12		
100	PITHEAD	RAMAGUNDEM-B TPS	0.81	5.99	0	5.99	7		
101	RAIL	SINGARENI TPP	13.52	115.79	0	115.79	9		
Total of Southern Region			321.68	2774.89	168.59	2943.48	9	0	
Eastern									
Bihar									
102	RAIL	BARAUNI TPS	6.09	75.34	0	75.34	12		
103	RAIL	BARH I & II	15.46	427.33	0	427.33	28		
104	PITHEAD	KAHALGAON TPS	29.05	101.37	0	101.37	3		Materialization against the ACQ is more than trigger level
105	RAIL	MUZAFFARPUR TPS	5.76	88.44	0	88.44	15		
106	RAIL	NABINAGAR STPP	16.96	221.96	0	221.96	13		
107	RAIL	NABINAGAR TPP	12.74	46.25	0	46.25	4		Materialization against the ACQ is more than trigger level
Jharkhand									
108	RAIL	BOKARO TPS 'A' EXP	3.84	98.6	0	98.6	26		
109	RAIL	CHANDRAPURA(DVC) TPS	7.02	127.75	0	127.75	18		
110	RAIL	JOJOBBERA TPS	2.06	43.84	0	43.84	21		
111	RAIL	KODARMA TPP	13.01	68.27	0	68.27	5		Materialization against the ACQ is more than trigger level
112	RAIL	MAHADEV PRASAD STPP	7.57	4.27	0	4.27	1		Materialization against the ACQ is more than trigger level
113	RAIL	MAITHON RB TPP	11.83	181.73	0	181.73	15		
114	RAIL	TENUGHAT TPS	3.94	22.78	0	22.78	6		Materialization against the ACQ is more than trigger level
Odisha									
115	PITHEAD	DARLIPALI STPS	14.78	419.36	0	419.36	28		
116	ROAD	DERANG TPP	18.17	473.04	0	473.04	26		
117	PITHEAD	IB VALLEY TPS	24.15	327.03	0	327.03	14		

COAL INDIA LIMITED

MARKETING & SALES DIVISION

COAL STOCK POSITION OF POWER PLANTS HAVING COAL LINKAGE WITH COAL INDIA LIMITED & SCCL AS PER CEA REPORT

Region/State	Mode of Transport	Name of Thermal Power Station	Requirement for the day (In '000 Tonnes')	Actual Stock			In Days	Status of Criticality as per "New methodology for monitoring of coal stock at coal based thermal power plants" dated 08.11.2017 Critical(*)/Supercritical(**)	Reasons for not considering the plant under critical/super critical category inspite of plant carrying low stock
				In '000 Tonnes'					
				Indigenous	Import	Total			
118	RAIL	KAMALANGA TPS	10.27	107.06	0	107.06	10		
119	RAIL	VEDANTA TPP	7.02	34.88	0	34.88	5		Materialization against the ACQ is more than trigger level
120	PITHEAD	TALCHER STPS	36.56	443.81	0	443.81	12		
West Bengal									
121	RAIL	BAKRESWAR TPS	12.5	86.97	0	86.97	7		
122	RAIL	BANDEL TPS	5	17.11	0	17.11	3		Materialization against the ACQ is more than trigger level
123	RAIL	BUDGE BUDGE TPS	5.73	92.58	0	92.58	16		
124	RAIL	D.P.L. TPS	6.68	7.38	0	7.38	1		Materialization against the ACQ is more than trigger level
125	RAIL	DURGAPUR STEEL TPS	12.01	80.7	0	80.7	7		
126	RAIL	DURGAPUR TPS	2.31	58.23	0	58.23	25		
127	PITHEAD	FARAKKA STPS	25.24	48.64	0	48.64	2		Materialization against the ACQ is more than trigger level
128	RAIL	HALDIA TPP	7.53	37.29	0	37.29	5		Materialization against the ACQ is more than trigger level
129	RAIL	HIRANMAYE TPP	4.93	65.83	0	65.83	13		
130	RAIL	KOLAGHAT TPS	14.79	2.95	0	2.95	0		Materialization against the ACQ is more than trigger level
131	RAIL	MEJIA TPS	27.52	150.4	0	150.4	5		Materialization against the ACQ is more than trigger level
132	RAIL	RAGHUNATHPUR TPP	11.99	71.33	0	71.33	6		Materialization against the ACQ is more than trigger level
133	RAIL	SAGARDIGHI TPS	22.18	97.76	0	97.76	4		Materialization against the ACQ is more than trigger level
134	RAIL	SANTALDIH TPS	8.29	25.59	0	25.59	3		Materialization against the ACQ is more than trigger level
135	RAIL	SOUTHERN REPL. TPS	1.23	11.21	0	11.21	9		
Total of Eastern Region			414.21	4167.08	0	4167.08	10	0	
North Eastern									
Assam									
136	RAIL	BONGAIGAON TPP	6.62	100.61	0	100.61	15		
Total of North Eastern Region			6.62	100.61	0	100.61	15	0	
Total Coal stock			1830.02	18958.77	379.06	19338	11	0	

Note

1. https://cea.nic.in/wp-content/uploads/2020/04/guidelines_dcr.pdf

2. % Materialization against ACQ is taken from 01.04.21 to 07.12.2021



Link for New Methodology dated 08.11.2017

COAL INDIA LIMITED

MARKETING & SALES DIVISION

COAL STOCK POSITION OF POWER PLANTS HAVING COAL LINKAGE WITH COAL INDIA LIMITED & SCCL AS PER CEA REPORT

Region/State	Mode of Transport	Name of Thermal Power Station	Requirement for the day (In '000 Tonnes')	Actual Stock			In Days	Status of Criticality as per "New methodology for monitoring of coal stock at coal based thermal power plants" dated 08.11.2017 Critical(*)/Supercritical(**)	Reasons for not considering the plant under critical/super critical category inspite of plant carrying low stock
				In '000 Tonnes'					
				Indigenous	Import	Total			
Haryana									
1	RAIL	INDIRA GANDHI STPP	14.4	219.5	0	219.5	15		
2	RAIL	MAHATMA GANDHI TPS	11.43	88.51	0	88.51	8		
3	RAIL	PANIPAT TPS	7.41	95.58	0	95.58	13		
4	RAIL	RAJIV GANDHI TPS	11.2	364.22	0	364.22	33		
5	RAIL	YAMUNA NAGAR TPS	5.2	200.49	0	200.49	39		
Punjab									
6	RAIL-1500	GH TPS (LEH.MOH.)	8.59	225.5	0	225.5	26		
7	RAIL-1500	GOINDWAL SAHIB TPP	4.85	14.61	0	14.61	3		Materialization against the ACQ is more than trigger level
8	RAIL	RAJPURA TPP	9.15	211.75	0	211.75	23		
9	RAIL	ROPAR TPS	7.76	145.29	0	145.29	19		
10	RAIL-1500	TALWANDI SABO TPP	17.81	11.38	0	11.38	1		Materialization against the ACQ is more than trigger level
Rajasthan									
11	RAIL	CHHABRA-I PH-1 TPP	5.81	5.71	0	5.71	1		Materialization against the ACQ is more than trigger level
12	RAIL	KAWAI TPS	16.21	93.46	0	93.46	6		Materialization against the ACQ is more than trigger level
13	RAIL	KOTA TPS	19.78	85.51	0	85.51	4		Materialization against the ACQ is more than trigger level
14	RAIL-1500	SURATGARH TPS	13.21	43.96	0	43.96	3		Materialization against the ACQ is more than trigger level
Uttar Pradesh									
15	PITHEAD	ANPARA C TPS	9.2	118.04	0	118.04	13		
16	PITHEAD	ANPARA TPS	32.33	470.13	0	470.13	15		
17	RAIL	BARKHERA TPS	0.77	4.03	0	4.03	5		Materialization against the ACQ is more than trigger level
18	RAIL	DADRI (NCTPP)	16.19	437.86	19.07	456.93	28		
19	RAIL	HARDUAGANJ TPS	5.17	177.03	0	177.03	34		
20	RAIL	KHAMBARKHERA TPS	0.77	4.17	0	4.17	5		Materialization against the ACQ is more than trigger level
21	RAIL	KUNDARKI TPS	0.88	10.13	0	10.13	12		
22	RAIL	LALITPUR TPS	15.52	310.72	0	310.72	20		
23	RAIL	MAQSOODPUR TPS	0.77	9.9	0	9.9	13		
24	RAIL	MEJA STPP	15.23	309.05	0	309.05	20		
25	RAIL	OBRA TPS	10.69	119.91	0	119.91	11		
26	RAIL	PARICHHA TPS	10.4	281.64	0	281.64	27		
27	RAIL	PRAYAGRAJ TPP	21.33	35.62	0	35.62	2		Materialization against the ACQ is more than trigger level
28	PITHEAD	RIHAND STPS	35.65	371.66	0	371.66	10		
29	RAIL	ROSA TPP Ph-I	9.49	242.82	0	242.82	26		
30	PITHEAD	SINGRAULI STPS	28.33	365.57	0	365.57	13		
31	RAIL	TANDA TPS	16.47	392.66	5.36	398.02	24		
32	RAIL	UNCHAHAR TPS	14.81	208.45	0	208.45	14		
33	RAIL	UTRAULA TPS	0.96	6.26	0	6.26	7		
Total of Northern Region			397.77	5681.12	24.43	5705.55	14	0	
Western Chhatisgarh									
34	RAIL	AKALTARA TPS	20.01	50.3	0	50.3	3		Materialization against the ACQ is more than trigger level
35	RAIL	BALCO TPS	8.43	25.17	0	25.17	3		Materialization against the ACQ is more than trigger level
36	ROAD	BANDAKHAR TPP	3.91	35.23	0	35.23	9		
37	RAIL	BARADARHA TPS	20.15	185.94	0	185.94	9		
38	RAIL	BHILAI TPS	4.24	101.11	0	101.11	24		
39	RAIL	BINJKOTE TPP	6.15	7.98	0	7.98	1		Materialization against the ACQ is more than trigger level

COAL INDIA LIMITED

MARKETING & SALES DIVISION

COAL STOCK POSITION OF POWER PLANTS HAVING COAL LINKAGE WITH COAL INDIA LIMITED & SCCL AS PER CEA REPORT

Region/State	Mode of Transport	Name of Thermal Power Station	Requirement for the day (In '000 Tonnes')	Actual Stock			In Days	Status of Criticality as per "New methodology for monitoring of coal stock at coal based thermal power plants" dated 08.11.2017 Critical(*)/Supercritical(**)	Reasons for not considering the plant under critical/super critical category inspite of plant carrying low stock
				In '000 Tonnes'					
				Indigenous	Import	Total			
40	RAIL	DSPM TPS	8.36	108.08	0	108.08	13		
41	PITHEAD	KORBA STPS	34.81	250.63	0	250.63	7		
42	PITHEAD	KORBA-WEST TPS	21.38	140.47	0	140.47	7		
43	RAIL	LARA TPP	24.96	416.78	0	416.78	17		
44	ROAD	NAWAPARA TPP	6.15	23.24	0	23.24	4		Materialization against the ACQ is more than trigger level
45	RAIL	PATHADI TPP	8.13	86	0	86	11		
46	PITHEAD	SIPAT STPS	29.83	478.32	0	478.32	16		
47	ROAD	TAMNAR TPP	25.48	341.94	0	341.94	13		
48	RAIL	UCHPINDA TPP	16.43	87.82	0	87.82	5		Materialization against the ACQ is more than trigger level
Gujarat									
49	RAIL-1500	GANDHI NAGAR TPS	5.79	64.89	0	64.89	11		
50	RAIL	SABARMATI (D-F STATIONS)	3.85	60.6	87.86	148.46	22		
51	RAIL	UKAI TPS	12.1	52.02	0	52.02	4		Materialization against the ACQ is more than trigger level
52	RAIL-1500	WANAKBORI TPS	21.74	170.73	0	170.73	8		Materialization against the ACQ is more than trigger level
Madhya Pradesh									
53	PITHEAD	AMARKANTAK EXT TPS	3.29	40.45	0	40.45	12		
54	RAIL	ANUPPUR TPP	16.29	158	0	158	10		Materialization against the ACQ is more than trigger level
55	RAIL	BINA TPS	6.76	18.49	0	18.49	3		Materialization against the ACQ is more than trigger level
56	RAIL	GADARWARA TPP	10.88	276.36	64.15	340.51	31		
57	RAIL	KHARGONE STPP	14.13	109.18	0	109.18	8		
58	RAIL	SANJAY GANDHI TPS	18.06	194.73	0	194.73	11		
59	RAIL	SATPURA TPS	12.71	56.98	0	56.98	4		Non Payment of Dues
60	RAIL	SEIONI TPP	7.42	67.63	0	67.63	9		
61	RAIL	SHREE SINGAJI TPP	23.45	189.48	0	189.48	8		
62	PITHEAD	VINDHYACHAL STPS	62.52	799.32	0	799.32	13		
Maharashtra									
63	RAIL	AMRAVATI TPS	17.81	98.06	0	98.06	6		Materialization against the ACQ is more than trigger level
64	RAIL	BHUSAWAL TPS	13.9	164.41	0	164.41	12		
65	RAIL	BUTIBORI TPP	5.15	59.73	0	59.73	12		
66	RAIL	CHANDRAPUR(MAHARASHTRA) STPS	33.45	89.29	0	89.29	3		Non payment of dues
67	RAIL	DAHANU TPS	5.61	4.53	0	4.53	1		Materialization against the ACQ is more than trigger level
68	RAIL	DHARIWAL TPP	8.06	20.54	0	20.54	3		Materialization against the ACQ is more than trigger level
69	RAIL	GMR WARORA TPS	7.28	0.18	0	0.18	0		Materialization against the ACQ is more than trigger level
70	RAIL	KHAPARKHEDA TPS	15.03	134.54	0	134.54	9		
71	RAIL	KORADI TPS	26.89	181.47	0	181.47	7		
72	RAIL	MAUDA TPS	20.33	572.69	22.26	594.95	29		
73	RAIL	NASIK TPS	6.75	32.4	0	32.4	5		Non payment of dues
74	RAIL	PARAS TPS	6.68	15.84	0	15.84	2		Non payment of dues
75	RAIL	PARLI TPS	7.67	63.78	0	63.78	8		
76	RAIL-1500	SOLAPUR STPS	14.76	85.47	11.8	97.27	7		Materialization against the ACQ is more than trigger level
77	RAIL	TIRORA TPS	34.47	206.81	0	206.81	6		Materialization against the ACQ is more than trigger level
78	ROAD	WARDHA WARORA TPP	5.22	73.19	0	73.19	14		
Total of Western Region			686.47	6400.8	186.07	6586.87	10	0	
Southern									
Andhra Pradesh									
79	RAIL-SEA	DAMODARAM SANJEEVAIAH TPS	13.6	23.47	0	23.47	2		Materialization against the ACQ is more than trigger level

COAL INDIA LIMITED

MARKETING & SALES DIVISION

COAL STOCK POSITION OF POWER PLANTS HAVING COAL LINKAGE WITH COAL INDIA LIMITED & SCCL AS PER CEA REPORT

Region/State	Mode of Transport	Name of Thermal Power Station	Requirement for the day (In '000 Tonnes')	Actual Stock			In Days	Status of Criticality as per "New methodology for monitoring of coal stock at coal based thermal power plants" dated 08.11.2017 Critical(*)/Supercritical(**)	Reasons for not considering the plant under critical/super critical category inspite of plant carrying low stock
				In '000 Tonnes'					
				Indigenous	Import	Total			
80	RAIL	Dr. N.TATA RAO TPS	21.71	94.39	0	94.39	4		Materialization against the ACQ is more than trigger level
81	RAIL-SEA	PAINAMPURAM TPP	12.63	88.68	16.95	105.63	8		
82	RAIL	RAYALASEEMA TPS	16.77	67.78	0	67.78	4		Materialization against the ACQ is more than trigger level
83	RAIL	SIMHADRI	28.71	330.33	0	330.33	12		
84	RAIL-SEA	SGPL TPP	8.71	13.23	114.46	127.69	15		
85	RAIL	VIZAG TPP	10.45	152.27	0	152.27	15		
Karnataka									
86	RAIL	BELLARY TPS	15.48	44.06	0	44.06	3		Materialization against the ACQ is more than trigger level
87	RAIL	KUDGI STPP	17.11	269.56	31.33	300.89	18		
88	RAIL	RAICHUR TPS	16.28	186	0	186	11		
89	RAIL	YERMARUS TPP	13.73	53.31	0	53.31	4		Materialization against the ACQ is more than trigger level
Tamil Nadu									
90	RAIL-SEA-1500	METTUR TPS	7.98	10.96	0	10.96	1		Materialization against the ACQ is more than trigger level
91	RAIL-SEA-1500	METTUR TPS - II	6.85	9.29	0	9.29	1		Materialization against the ACQ is more than trigger level
92	RAIL-SEA	NORTH CHENNAI TPS	24.69	97.36	0	97.36	4		Materialization against the ACQ is more than trigger level
93	RAIL-SEA-1500	TUTICORIN TPS	15.13	277.26	0	277.26	18		
94	RAIL-SEA	VALLUR TPP	19.29	44.44	0	44.44	2		Materialization against the ACQ is more than trigger level
Telangana									
95	RAIL	BHADRADRI TPP	9.72	69.99	0	69.99	7		
96	PITHEAD	KAKATIYA TPS	11.26	299.13	0	299.13	27		
97	RAIL	KOTHAGUDEM TPS (NEW)	9.56	129.59	0	129.59	14		
98	RAIL	KOTHAGUDEM TPS (STAGE-7)	9.11	119.02	0	119.02	13		
99	PITHEAD	RAMAGUNDEM STPS	21.18	253.48	0	253.48	12		
100	PITHEAD	RAMAGUNDEM-B TPS	0.79	5.84	0	5.84	7		
101	RAIL	SINGARENI TPP	13.1	114.63	0	114.63	9		
Total of Southern Region			323.84	2754.07	162.74	2916.81	9	0	
Eastern									
Bihar									
102	RAIL	BARAUNI TPS	6.09	76.46	0	76.46	13		
103	RAIL	BARH I & II	16.56	416.16	0	416.16	25		
104	PITHEAD	KAHALGAON TPS	30.08	91.9	0	91.9	3		Materialization against the ACQ is more than trigger level
105	RAIL	MUZAFFARPUR TPS	5.76	91.07	0	91.07	16		
106	RAIL	NABINAGAR STPP	16.64	220.35	0	220.35	13		
107	RAIL	NABINAGAR TPP	12.67	44.13	0	44.13	3		Materialization against the ACQ is more than trigger level
Jharkhand									
108	RAIL	BOKARO TPS 'A' EXP	3.84	102.13	0	102.13	27		
109	RAIL	CHANDRAPURA(DVC) TPS	7.05	130.39	0	130.39	18		
110	RAIL	JOJOBBERA TPS	2.06	46	0	46	22		
111	RAIL	KODARMA TPP	13.01	63.37	0	63.37	5		Materialization against the ACQ is more than trigger level
112	RAIL	MAHADEV PRASAD STPP	7.57	3.84	0	3.84	1		Materialization against the ACQ is more than trigger level
113	RAIL	MAITHON RB TPP	11.95	180.67	0	180.67	15		
114	RAIL	TENUGHAT TPS	3.94	23.46	0	23.46	6		Materialization against the ACQ is more than trigger level
Odisha									
115	PITHEAD	DARLIPALI STPS	14.78	440.86	0	440.86	30		
116	ROAD	DERANG TPP	18.71	472.04	0	472.04	25		
117	PITHEAD	IB VALLEY TPS	22.82	332.94	0	332.94	15		

COAL INDIA LIMITED

MARKETING & SALES DIVISION

COAL STOCK POSITION OF POWER PLANTS HAVING COAL LINKAGE WITH COAL INDIA LIMITED & SCCL AS PER CEA REPORT

Region/State	Mode of Transport	Name of Thermal Power Station	Requirement for the day (In '000 Tonnes')	Actual Stock			In Days	Status of Criticality as per "New methodology for monitoring of coal stock at coal based thermal power plants" dated 08.11.2017 Critical(*)/Supercritical(**)	Reasons for not considering the plant under critical/super critical category inspite of plant carrying low stock
				In '000 Tonnes'					
				Indigenous	Import	Total			
118	RAIL	KAMALANGA TPS	10.27	115.06	0	115.06	11		
119	RAIL	VEDANTA TPP	7.32	36.83	0	36.83	5		Materialization against the ACQ is more than trigger level
120	PITHEAD	TALCHER STPS	41.12	441.66	0	441.66	11		
West Bengal									
121	RAIL	BAKRESWAR TPS	12.63	83.9	0	83.9	7		
122	RAIL	BANDEL TPS	4.83	16.19	0	16.19	3		Materialization against the ACQ is more than trigger level
123	RAIL	BUDGE BUDGE TPS	6.02	91.42	0	91.42	15		
124	RAIL	D.P.L. TPS	7.12	8.19	0	8.19	1		Materialization against the ACQ is more than trigger level
125	RAIL	DURGAPUR STEEL TPS	12.16	78.86	0	78.86	6		
126	RAIL	DURGAPUR TPS	2.31	58.23	0	58.23	25		
127	PITHEAD	FARAKKA STPS	25.5	48.29	0	48.29	2		Materialization against the ACQ is more than trigger level
128	RAIL	HALDIA TPP	7.35	36.69	0	36.69	5		Materialization against the ACQ is more than trigger level
129	RAIL	HIRANMAYE TPP	5.37	63.64	0	63.64	12		
130	RAIL	KOLAGHAT TPS	14.79	8.46	0	8.46	1		Materialization against the ACQ is more than trigger level
131	RAIL	MEJIA TPS	27.41	166.03	0	166.03	6		Materialization against the ACQ is more than trigger level
132	RAIL	RAGHUNATHPUR TPP	12.05	75.31	0	75.31	6		Materialization against the ACQ is more than trigger level
133	RAIL	SAGARDIGHI TPS	22.53	99.1	0	99.1	4		Materialization against the ACQ is more than trigger level
134	RAIL	SANTALDIH TPS	8.22	30.7	0	30.7	4		Materialization against the ACQ is more than trigger level
135	RAIL	SOUTHERN REPL. TPS	1.23	11.21	0	11.21	9		
Total of Eastern Region			421.76	4205.54	0	4205.54	10	0	
North Eastern									
Assam									
136	RAIL	BONGAIGAON TPP	6.53	105.43	0	105.43	16		
Total of North Eastern Region			6.53	105.43	0	105.43	16	0	
Total Coal stock			1836.37	19146.96	373.24	19520	11	0	

Note

1. https://cea.nic.in/wp-content/uploads/2020/04/guidelines_dcr.pdf

2. % Materialization against ACQ is taken from 01.04.21 to 07.12.2021



Link for New Methodology dated 08.11.2017