

COAL INDIA LIMITED

MARKETING & SALES DIVISION

COAL STOCK POSITION OF POWER PLANTS HAVING COAL LINKAGE WITH COAL INDIA LIMITED & SCCL AS PER CEA REPORT

Region/State	Name of Thermal Power Station	Specific Coal Consumption (Kcal/kg)	Consumption for last 07 days (Average)*	Requirement @ 55% PLF	Requirement for the day (In '000 Tonnes') (Higher of D and E)	Actual Stock (In 000 Te)			In Days	Status of Criticality as per "New methodology for monitoring of coal stock at coal based thermal power plants" dated 08.11.2017 Critical(*)/Supercritical(**)	Reasons for not considering the plant under critical/super critical category inspite of plant carrying low stock
						Indigenous	Import	Total			
A	B	C	D	E	F	G	H	I	J=(I/F)		
Haryana											
1	INDIRA GANDHI STPP	0.66	14.3	13.11	14.3	265.3	111.8	377.1	26		
2	MAHATMA GANDHI TPS	0.61	16.3	10.59	16.3	97.3	16.8	114.1	7		Less Rake Supply from Railways
3	PANIPAT TPS	0.70	10.6	6.61	10.6	47.6	9.1	56.8	5		Less Rake Supply from Railways
4	RAJIV GANDHI TPS	0.70	12.4	11.06	12.4	134.1	2.1	136.2	11		
5	YAMUNA NAGAR TPS	0.71	7.9	5.60	7.9	67.8	10.4	78.2	10		Less Rake Supply from Railways
Punjab											
6	GH TPS (LEH.MOH.)	0.67	2.7	8.13	8.1	333.2	24.0	357.1	44		
7	GOINDWAL SAHIB TPP	0.71	3.6	5.05	5.1	17.1	0.0	17.1	3		Plant is lifting coal through road mode
8	RAJPURA TPP	0.56	16.2	10.41	16.2	436.4	0.0	436.4	27		
9	ROPAR TPS	0.69	7.9	7.61	7.9	454.0	18.3	472.2	60		
10	TALWANDI SABO TPP	0.68	22.0	17.68	22.0	221.7	0.0	221.7	10		Materialization against the ACQ is more than trigger level
Rajasthan											
11	CHHABRA-I PH-1 TPP	0.65	3.5	4.29	4.3	5.4	0.0	5.4	1		Materialization against the ACQ is more than trigger level
12	KAWAI TPS	0.58	15.7	10.14	15.7	8.6	110.0	118.6	8		Materialization against the ACQ is more than trigger level
13	KOTA TPS	0.71	12.9	11.63	12.9	266.5	0.0	266.5	21		Materialization against the ACQ is more than trigger level
14	SURATGARH TPS	0.61	9.8	12.05	12.1	393.0	0.0	393.0	33		
Uttar Pradesh											
15	ANPARA C TPS	0.64	14.1	10.09	14.1	10.2	0.0	10.2	1		Materialization against the ACQ is more than trigger level
16	ANPARA TPS	0.65	37.6	22.72	37.6	295.9	0.0	295.9	8		Materialization against the ACQ is more than trigger level
17	BARKHERA TPS	0.80	1.3	0.96	1.3	3.5	0.0	3.5	3		Plant is requested to increase lifting through road mode
18	DADRI (NCTPP)	0.67	19.6	16.15	19.6	174.3	110.7	285.0	15		
19	HARDUAGANJ TPS	0.72	14.7	12.05	14.7	37.3	0.0	37.3	3		Materialization against the ACQ is more than trigger level
20	KHAMBARKHERA TPS	0.80	1.2	0.95	1.2	2.9	0.0	2.9	2		Plant is requested to increase lifting through road mode
21	KUNDARKI TPS	0.77	1.2	0.91	1.2	1.7	0.0	1.7	1		Plant is requested to increase lifting through road mode
22	LALITPUR TPS	0.61	23.2	16.06	23.2	66.6	0.0	66.6	3		Materialization against the ACQ is more than trigger level
23	MAQSODPUR TPS	0.79	1.2	0.94	1.2	1.0	0.0	1.0	1		Plant is requested to increase lifting through road mode
24	MEJA STPP	0.67	8.5	11.62	11.6	74.4	72.0	146.4	13		Materialization against the ACQ is more than trigger level
25	OBRA TPS	0.74	11.6	10.75	11.6	47.7	0.0	47.7	4		Materialization against the ACQ is more than trigger level
26	PARICHA TPS	0.70	10.2	10.60	10.6	20.2	0.0	20.2	2		Materialization against the ACQ is more than trigger level
27	PRAYAGRAJ TPP	0.60	25.4	15.69	25.4	268.7	0.0	268.7	11		Unloading Constraints
28	RIHAND STPS	0.60	40.5	23.92	40.5	926.3	0.0	926.3	23		
29	ROSA TPP Ph-I	0.63	13.2	10.02	13.2	7.7	0.0	7.7	1		Materialization against the ACQ is more than trigger level
30	SINGRAULI STPS	0.65	30.1	17.29	30.1	466.7	0.0	466.7	16		
31	TANDA TPS	0.69	19.1	15.98	19.1	285.1	19.7	304.8	16		Materialization against the ACQ is more than trigger level
32	UNCHAHAH TPS	0.67	17.1	13.76	17.1	120.8	80.4	201.2	12		Materialization against the ACQ is more than trigger level
33	UTRAULA TPS	0.79	1.3	0.94	1.3	4.7	0.0	4.7	4		Plant is requested to increase lifting through road mode
Total of Northern Region										0	
Western Chhatisgarh											
34	AKALTARA TPS	0.65	16.1	15.38	16.1	55.7	0.0	55.7	3		Materialization against the ACQ is more than trigger level

COAL INDIA LIMITED

MARKETING & SALES DIVISION

COAL STOCK POSITION OF POWER PLANTS HAVING COAL LINKAGE WITH COAL INDIA LIMITED & SCCL AS PER CEA REPORT

Region/State	Name of Thermal Power Station	Specific Coal Consumption (Kcal/kg)	Consumption for last 07 days (Average)*	Requirement @ 55% PLF	Requirement for the day (In '000 Tonnes') (Higher of D and E)	Actual Stock (In 000 Te)			In Days	Status of Criticality as per "New methodology for monitoring of coal stock at coal based thermal power plants" dated 08.11.2017 Critical(*)/Supercritical(**)	Reasons for not considering the plant under critical/super critical category inspite of plant carrying low stock
						Indigenous	Import	Total			
A	B	C	D	E	F	G	H	I	J=(I/F)		
35	BALCO TPS	0.74	5.0	5.83	5.8	43.1	1.0	44.1	8		Plant under maintenance
36	BANDAKHAR TPP	0.70	3.7	2.78	3.7	27.0	0.0	27.0	7		Materialization against the ACQ is more than trigger level
37	BARADARHA TPS	0.75	5.2	11.88	11.9	123.8	14.9	138.7	12		Materialization against the ACQ is more than trigger level
38	BHILAI TPS	0.76	8.2	4.99	8.2	235.3	38.0	273.4	33		
39	BINJOTE TPP	0.75	4.0	5.91	5.9	43.7	0.0	43.7	7		Materialization against the ACQ is more than trigger level
40	DSPM TPS	0.72	6.8	4.74	6.8	40.0	0.0	40.0	6		
41	KORBA STPS	0.66	38.6	22.82	38.6	457.3	0.0	457.3	12		
42	KORBA-WEST TPS	0.77	19.8	13.55	19.8	167.7	0.0	167.7	8		
43	LARA TPP	0.70	25.9	14.77	25.9	290.6	3.4	293.9	11		
44	NAWAPARA TPP	0.79	8.2	6.28	8.2	90.1	0.0	90.1	11		Materialization against the ACQ is more than trigger level
45	PATHADI TPP	0.69	6.5	5.43	6.5	18.8	2.6	21.5	3		
46	SIPAT STPS	0.67	43.0	26.38	43.0	305.3	13.2	318.5	7		
47	TAMNAR TPP	0.82	18.1	25.98	26.0	237.1	14.4	251.5	10		Materialization against the ACQ is more than trigger level
48	UCHPINDA TPP	0.77	8.3	14.56	14.6	48.9	0.0	48.9	3		Materialization against the ACQ is more than trigger level
Gujarat											
49	GANDHI NAGAR TPS	0.67	4.6	5.55	5.6	68.7	27.0	95.7	17		Materialization against the ACQ is more than trigger level
50	SABARMATI (D-F STATIONS)	0.57	4.4	2.70	4.4	9.6	71.8	81.4	6		Materialization against the ACQ is more than trigger level
51	UKAI TPS	0.68	7.1	10.01	10.0	97.7	29.3	127.0	13		Materialization against the ACQ is more than trigger level
52	WANAKBORI TPS	0.68	12.2	20.45	20.4	296.3	50.0	346.3	17		Materialization against the ACQ is more than trigger level
Madhya Pradesh											
53	AMARKANTAK EXT TPS	0.65	3.1	1.81	3.1	20.8	0.0	20.8	7		
54	ANUPPUR TPP	0.70	14.9	11.14	14.9	137.0	27.9	165.0	11		
55	BINA TPS	0.72	5.9	4.77	5.9	38.8	0.0	38.8	7		Materialization against the ACQ is more than trigger level
56	GADARWARA TPP	0.64	16.0	13.61	16.0	227.9	120.1	348.0	22		Materialization against the ACQ is more than trigger level
57	KHARGONE STPP	0.61	6.4	10.56	10.6	172.2	104.5	276.7	26		
58	SANJAY GANDHI TPS	0.77	15.8	13.63	15.8	89.2	0.0	89.2	6		Non payment of dues
59	SATPURA TPS	0.65	6.9	11.47	11.5	162.5	0.0	162.5	14		
60	SEIONI TPP	0.62	7.9	4.91	7.9	34.0	0.0	34.0	4		Materialization against the ACQ is more than trigger level
61	SHREE SINGAJI TPP	0.73	22.7	24.31	24.3	102.2	0.0	102.2	4		Non Payment of Dues
62	VINDHYACHAL STPS	0.67	71.6	42.33	71.6	1236.2	0.0	1236.2	17		
Maharashtra											
63	AMRAVATI TPS	0.65	14.8	11.60	14.8	21.1	0.0	21.1	1		Materialization against the ACQ is more than trigger level
64	BHUSAWAL TPS	0.77	13.2	12.31	13.2	38.9	16.9	55.7	4		Non payment of dues
65	BUTIBORI TPP	0.67	0.0	5.31	5.3	59.7	0.0	59.7	11		
66	CHANDRAPUR(MAHARASHTRA) STPS	0.79	26.4	30.35	30.3	284.1	17.4	301.5	10		Non payment of dues
67	DAHANU TPS	0.60	2.8	3.96	4.0	5.5	1.6	7.2	2		Materialization against the ACQ is more than trigger level
68	DHARIWAL TPP	0.68	5.4	5.40	5.4	14.1	10.3	24.4	5		Materialization against the ACQ is more than trigger level
69	GMR WARORA TPS	0.67	4.9	5.28	5.3	9.3	0.0	9.3	2		
70	KHAPARKHEDA TPS	0.87	17.7	15.37	17.7	131.5	26.3	157.8	9		Materialization against the ACQ is more than trigger level
71	KORADI TPS	0.73	19.5	20.96	21.0	101.6	16.1	117.7	6		Non payment of dues
72	MAUDA TPS	0.71	26.7	21.75	26.7	185.8	23.8	209.6	8		Materialization against the ACQ is more than trigger level
73	NASIK TPS	0.83	3.6	6.93	6.9	124.5	11.6	136.1	20		Non payment of dues
74	PARAS TPS	0.76	5.4	5.01	5.4	61.6	0.0	61.6	11		

COAL INDIA LIMITED

MARKETING & SALES DIVISION

COAL STOCK POSITION OF POWER PLANTS HAVING COAL LINKAGE WITH COAL INDIA LIMITED & SCCL AS PER CEA REPORT

Region/State	Name of Thermal Power Station	Specific Coal Consumption (Kcal/kg)	Consumption for last 07 days (Average)*	Requirement @ 55% PLF	Requirement for the day (In '000 Tonnes') (Higher of D and E)	Actual Stock (In 000 Te)			In Days	Status of Criticality as per "New methodology for monitoring of coal stock at coal based thermal power plants" dated 08.11.2017 Critical(*)/Supercritical(**)	Reasons for not considering the plant under critical/super critical category inspite of plant carrying low stock
						Indigenous	Import	Total			
A	B	C	D	E	F	G	H	I	J=(I/F)		
75	PARLI TPS	0.67	8.4	6.60	8.4	27.5	0.0	27.5	3		
76	SOLAPUR STPS	0.62	1.9	10.88	10.9	195.2	144.7	339.9	31		
77	TIRORA TPS	0.66	34.1	28.54	34.1	149.3	50.5	199.8	6		Materialization against the ACQ is more than trigger level
78	WARDHA WARORA TPP	0.65	4.6	4.60	4.6	66.1	0.0	66.1	14		
Total of Western Region										0	
Southern											
Andhra Pradesh											
79	DAMODARAM SANJEEVAIAH TPS	0.64	9.1	13.52	13.5	325.1	0.0	325.1	24		Materialization against the ACQ is more than trigger level
80	Dr. N.TATA RAO TPS	0.80	18.9	18.48	18.9	68.5	0.0	68.5	4		Materialization against the ACQ is more than trigger level
81	PAINAMPURAM TPP	0.61	17.1	10.55	17.1	41.4	357.3	398.7	23		Materialization against the ACQ is more than trigger level
82	RAYALASEEMA TPS	0.75	17.6	16.34	17.6	19.3	0.0	19.3	1		Materialization against the ACQ is more than trigger level
83	SIMHADRI	0.77	28.2	20.40	28.2	424.2	195.1	619.3	22		Materialization against the ACQ is more than trigger level
84	SGPL TPP	0.55	8.0	9.56	9.6	18.9	529.6	548.5	57		Materialization against the ACQ is more than trigger level
85	VIZAG TPP	0.75	7.8	10.23	10.2	40.1	0.0	40.1	4		Less Supply of rakes from Railways
Karnataka											
86	BELLARY TPS	0.66	6.6	14.82	14.8	201.8	0.0	201.8	14		Materialization against the ACQ is more than trigger level
87	KUDGI STPP	0.59	20.1	18.81	20.1	109.7	125.2	234.9	12		Materialization against the ACQ is more than trigger level
88	RAICHUR TPS	0.71	0.0	16.05	16.1	270.5	0.0	270.5	17		Materialization against the ACQ is more than trigger level
89	YERMARUS TPP	0.61	0.0	12.91	12.9	42.1	0.0	42.1	3		
Tamil Nadu											
90	METTUR TPS	0.81	13.8	8.97	13.8	130.4	0.0	130.4	9		Materialization against the ACQ is more than trigger level
91	METTUR TPS - II	0.78	4.2	6.20	6.2	48.4	30.3	78.6	13		Materialization against the ACQ is more than trigger level
92	NORTH CHENNAI TPS	0.96	21.4	23.11	23.1	172.6	135.5	308.1	13		Materialization against the ACQ is more than trigger level
93	TUTICORIN TPS	0.93	13.8	12.84	13.8	178.8	0.0	178.8	13		Materialization against the ACQ is more than trigger level
94	VALLUR TPP	0.75	13.0	14.94	14.9	344.7	0.0	344.7	23		
Telangana											
95	BHADRADRI TPP	0.60	7.7	8.55	8.6	145.1	0.0	145.1	17		
96	KAKATIYA TPS	0.58	9.7	8.38	9.7	298.6	0.0	298.6	31		
97	KOTHAGUDEM TPS (NEW)	0.66	9.6	8.72	9.6	352.0	0.0	352.0	37		
98	KOTHAGUDEM TPS (STAGE-7)	0.50	0.0	5.24	5.2	156.5	0.0	156.5	30		
99	RAMAGUNDEM STPS	0.62	23.3	21.26	23.3	94.8	66.0	160.8	7		
100	RAMAGUNDEM-B STPS	0.75	0.5	0.62	0.6	16.2	0.0	16.2	26		
101	SINGARENI TPP	0.58	14.5	9.16	14.5	96.1	0.0	96.1	7		
Total of Southern Region										0	
Eastern											
Bihar											
102	BARAUNI TPS	0.63	7.1	5.93	7.1	67.8	0.0	67.8	10		
103	BARH STPS	0.66	26.6	17.14	26.6	166.2	33.7	200.0	8		
104	KAHALGAON TPS	0.75	28.8	23.08	28.8	366.6	3.8	370.3	13		Materialization against the ACQ is more than trigger level
#REF!	MUZAFFARPUR TPS	0.73	2.8	3.73	3.7	87.4	0.0	87.4	23		Materialization against the ACQ is more than trigger level
#REF!	NABINAGAR STPP	0.61	25.0	15.90	25.0	243.4	20.7	264.1	11		Materialization against the ACQ is more than trigger level
#REF!	NABINAGAR TPP	0.69	9.2	9.16	9.2	109.8	25.6	135.4	15		Materialization against the ACQ is more than trigger level
Jharkhand											
108	BOKARO TPS 'A' EXP	0.58	5.9	3.81	5.9	28.4	12.0	40.4	7		
109	CHANDRAPURA(DVC) TPS	0.62	7.5	4.07	7.5	54.6	67.7	122.3	16		
110	JOJOBERA TPS	0.67	3.9	2.13	3.9	54.6	0.0	54.6	14		
111	KODARMA TPP	0.62	12.1	8.19	12.1	53.1	47.0	100.1	8		
112	MAHADEV PRASAD STPP	0.68	3.7	4.85	4.8	116.9	0.0	116.9	24		Materialization against the ACQ is more than trigger level
113	MAITHON RB TPP	0.61	11.4	8.47	11.4	316.5	0.0	316.5	28		

COAL INDIA LIMITED											
MARKETING & SALES DIVISION											
COAL STOCK POSITION OF POWER PLANTS HAVING COAL LINKAGE WITH COAL INDIA LIMITED & SCCL AS PER CEA REPORT											
Region/State	Name of Thermal Power Station	Specific Coal Consumption (Kcal/kg)	Consumption for last 07 days (Average)*	Requirement @ 55% PLF	Requirement for the day (In '000 Tonnes') (Higher of D and E)	Actual Stock (In 000 Te)			In Days	Status of Criticality as per "New methodology for monitoring of coal stock at coal based thermal power plants" dated 08.11.2017 Critical(*)/Supercritical(**)	Reasons for not considering the plant under critical/super critical category inspite of plant carrying low stock
						Indigenous	Import	Total			
A	B	C	D	E	F	G	H	I	J=(I/F)		
114	TENUGHAT TPS	0.72	4.8	4.00	4.8	24.0	0.0	24.0	5		Materialization against the ACQ is more than trigger level
Odisha											
115	DARLIPALI STPS	0.70	20.3	14.78	20.3	620.7	0.0	620.7	31		
116	DERANG TPP	0.68	10.3	10.85	10.8	1237.7	0.0	1237.7	114		
117	IB VALLEY TPS	0.79	19.9	18.05	19.9	263.7	0.0	263.7	13		
118	KAMALANGA TPS	0.72	11.5	10.05	11.5	108.6	0.0	108.6	9		Materialization against the ACQ is more than trigger level
119	VEDANTA TPP	0.71	6.1	5.62	6.1	11.3	0.0	11.3	2		Materialization against the ACQ is more than trigger level
120	TALCHER STPS	0.77	48.0	30.53	48.0	605.3	35.1	640.4	13		
West Bengal											
121	BAKRESWAR TPS	0.62	11.8	8.59	11.8	30.6	0.0	30.6	3		Materialization against the ACQ is more than trigger level
122	BANDEL TPS	0.80	4.6	2.84	4.6	0.7	0.0	0.7	0		Non payment of dues
123	BUDGE BUDGE TPS	0.58	9.4	5.76	9.4	106.7	0.0	106.7	11		
124	D.P.L. TPS	0.69	6.8	5.02	6.8	12.3	0.0	12.3	2		Non payment of dues
125	DURGAPUR STEEL TPS	0.67	14.9	8.86	14.9	85.6	57.7	143.3	10		
126	DURGAPUR TPS	1.17	0.0	3.23	3.2	169.8	0.0	169.8	53		
127	FARAKKA STPS	0.65	18.3	18.11	18.3	378.9	20.8	399.7	22		
128	HALDIA TPP	0.69	7.2	5.44	7.2	42.0	0.0	42.0	6		Materialization against the ACQ is more than trigger level
129	HIRANMAYE TPP	0.77	4.7	3.07	4.7	11.5	0.0	11.5	2		
130	KOLAGHAT TPS	0.79	11.3	8.80	11.3	28.7	0.0	28.7	3		Non payment of dues
131	MEJIA TPS	0.68	27.6	20.85	27.6	243.3	60.0	303.3	11		
132	RAGHUNATHPUR TPP	0.65	11.7	10.37	11.7	160.3	25.7	186.0	16		
133	SAGARDIGHI TPS	0.61	18.9	12.97	18.9	32.2	0.0	32.2	2		Non payment of dues
134	SANTALDIH TPS	0.71	8.0	4.70	8.0	41.2	0.0	41.2	5		Non payment of dues
135	SOUTHERN REPL. TPS	0.80	1.8	1.43	1.8	9.2	0.0	9.2	5		
Total of Eastern Region										0	
North Eastern											
Assam											
136	BONGAIGAON TPP	0.59	8.5	5.87	8.5	75.7	16.8	92.5	11		
Total of North Eastern Region										0	
Total Coal Stock		0.69	1748.2	1514.6	1895.9	21478.1	3287.8	24765.8	13	0	

Note

- [1. https://cea.nic.in/wp-content/uploads/2020/04/guidelines_dcr.pdf](https://cea.nic.in/wp-content/uploads/2020/04/guidelines_dcr.pdf)
- % Materialization against ACQ is taken from 01.04.21 to 30.06.2022
- Plant wise Specific Coal Consumption = (Coal Requirement @85% PLF*1000)/(Capacity*24*0.85)- Source:- Daily coal stock report, CEA
- List of Linked Plants with CIL taken from the Daily Coal Report of CEA showing status as on 13.12.2021